

QRK

SEAMLESS
BUILDING
SYSTEMS

qrksystems.com.au

*PATENT GRANTED

SYSTEMS

QRK

SEAMLESS
BUILDING
SYSTEMS

SYS

QRK Systems has revolutionised office partitioning,
offering a seamless, rubber-free look
that will suit any aesthetic.



REFRAMING PERFECT DESIGN

where window and door frames blend seamlessly into your perfectly designed environment. Introducing QRK systems - the ultimate framing system for architects, builders and the aesthete in all of us.

qrksystems.com.au

*PATENT GRANTED

TESTED TO AS2047-2014, AS4420.1-2016, AS1191-2002



Invisible Rubber


Create cleaner lines
by concealing
unsightly rubber

Our customisable aluminium covers
hide the rubber and offer a
long-lasting, unique aesthetic.

Seamless rubber-free look

Durable design with minimal upkeep

Subtle feature with a big impact



TRADITIONAL FRAME



QRK FRAME

QRK

SYS

BOLD, YET CLASSY

107 x 50mm Centre Glazed - Single Tone



Glass thickness up to 12.5mm

RW 36 (with 12.5mm Hush Glass, please refer to QRK SYS Acoustic Rating Table)

Available in the latest powder coat, anodised, woodgrain, stone, concrete, rust and finished finishes.

What to specify:

107x50mm Centre
Glazed Single Tone
and your desired finish

UNIQUE AND POWERFUL

107 x 50mm Centre Glazed - Multi Tone

Our innovative design lets you choose different colours for the frame and covers.

Customise to your corporate branding

Colour-code your business areas

Easier, cost-effective colour changes

Glass thickness up to 12.5mm

RW 36 (with 12.5mm Hush Glass, please refer to QRK SYS Acoustic Rating Table)

Available in the latest powder coat, anodised, woodgrain, stone, concrete, rust and finished finishes.



What to specify:

107 x 50mm Centre
Glazed - Multi Tone
and your desired frame
and cover finishes

GAIN MORE COLOUR CHOICES THAN EVER BEFORE.

* Please contact QRK regarding hardware and door seal compatibility with QRK framing systems.

QRK



ARROW
MINERALS



SYSS

QUIETLY STANDING OUT

107 x 50mm Double Glazed

Glass thickness up to 12.5mm

RW 48 (combination of 12.5mm & 10.5mm Hush Glass, please refer to QRK SYS Acoustic Rating Table)


Available in the latest powder coat, anodised, woodgrain, stone, concrete, rust and finished finishes.



What to specify:

**107x50mm Double
GLazed Frame**

and your desired frame
and cover finish



* Please contact QRK regarding hardware and door seal compatibility with QRK framing systems.

QRK

SYS

SLEEK AND UNDERSTATED

60 x 30mm Centre Glazed



Glass thickness up to 12.5mm

RW 36 (with 12.5mm Hush Glass, please refer to QRK SYS Acoustic Rating Table)

Available in the latest powder coat, anodised, woodgrain, stone, concrete, rust and linished finishes.

What to specify:
QRK 60x30mm Centre
Glazed Frame
and your desired frame
and cover finishes

MODERN AND MINIMALISTIC

60 x 30mm Front Glazed

Glass thickness up to 12.5mm

RW 36 (with 12.5mm Hush Glass, please refer to QRK SYS Acoustic Rating Table)

Available in the latest powder coat, anodised, woodgrain, stone, concrete, rust and linished finishes.



WHAT TO SPECIFY

QRK 60x30mm Front
Glazed Frame
and your desired finish

* Please contact QRK regarding hardware and door seal compatibility with QRK framing systems.

QRK

SYS



QRK Doors

QRK Doors compliment all of the QRK Framing System Suites and maintain the visual appeal of hiding the glazing rubbers.

Available in either Narrow Door Stile (70x45mm) or Wide Door Stile (114x45mm) they can be used in hinged, sliding and automatic door configurations.

Glass thickness up to 12.5mm

RW 32 (with 10.5mm and 12.5mm Hush Glass),

RW 33 (with 10.5mm Hush Glass and insert).

Please refer to QRK SYS Acoustic Rating Table)

Available in the latest powder coat, anodised, woodgrain, stone, concrete, rust and finished finishes.



QRK



SYS


SAFE AND SECURE

QRK Touchless Automatic Doors

QRK utilises the best auto door brands in Australia to provide the perfect solution for your needs.

Whether your project requires sliding, hinged or revolving automatic doors QRK can accommodate, further more we can match your automatic door operators beams and pelmets to your QRK framing finishes.

QRK Touchless Automatic Doors are not only safe and reliable, but they look great too by providing finishes never before imagined.



QRK



SYS

QRK Battens

QRK offers a versatile architectural batten system in a wide range of sizes and are suitable for use in commercial, residential and industrial environments.

QRK's battens can be aligned vertically, horizontally or diagonally and are suitable for interior and exterior applications.

Available in the latest powder coat, anodised, woodgrain, stone, concrete, rust and finished finishes.



QRK



SSYS

Hinges

Complete your look with QRK's single and two tone aluminium hinges from McCallum.

McCallum Aluminium Hinges are highly regarded as the premium aluminium hinge in Australia, QRK can take this a step further by finishing them in the latest powder coat, anodised, woodgrain, stone, concrete, rust and finished finishes including two tone for contrasting doors and door frames allowing your hinges to blend seamlessly into your QRK Framing.



QRK Hinges

and your desired finish / finishes (nominate door and frame finishes for two tone), door and frame material.




Acoustic Seals

QRK has developed an Acoustic Seal designed to provide optimal acoustic performance whilst blending seamlessly into the door stops and framing.

QRK's Acoustic Seal is an easy to install and cost-effective door seal, without compromising on performance. Available in Black or Clear to match your colour scheme.

RW 33 (please refer to QRK SYS Acoustic Rating Table)



QRK



SYS


Tech Panels

Not only are tech panels a striking feature for any office fit out, they are also the perfect tech hub for all your client's room booking, electrical, air conditioning and access control devices.

Available in the latest powder coat, woodgrain, stone, concrete, rust and finished finishes.

Easily match your colour scheme

Wide variety of options available



QRK's standard Tech Panel measures 107x300mm or 60x300mm (up to 3000mm high) with or without shadow line and a removable cover which blends seamlessly into your QRK Framing. Bespoke panels can also be custom made to your specifications.

RW 44 – 107 x 300mm Tech Panel
(suits 107mm Framing)

RW41 – 60 x 300mm Tech Panel
(suits 60mm Framing)

(Please refer to QRK SYS Acoustic Ratings Table)


What to specify:

QRK Standard Tech Panel
and your desired finish or
QRK Custom Tech Panel

QRK



6.03




SYS



QRK Metal Ceiling Tiles

Metal Ceiling Tiles create an impressive visual aesthetic in your perfectly designed environment.



QRK's Metal Ceiling Tiles come in a range of perforation choices and sizes to suit your needs.

Available in the latest powder coat, anodised, woodgrain, stone, concrete, rust and finished finishes.

QRK

SYS

QRK SEAMLESS BUILDING SYSTEMS

SYS

*PATENT PENDING

qrksystems.com.au

Exclusive to:

COMSUPPLY

49 Esther Street,
Belmont WA 6104

P: (08) 9479 3433
E: sales@comsupply.com.au

COMSUPPLY.COM.AU